

Three printing modes





Hand Press Print



Pedal Print

Photoelectric Sensor Print



Online Inkjet Printer



Easy installation

No need belt conveyor

Accurate positioning and convenient printing

Complex installation

Need belt conveyor

Complicated debugging during printing



Accessory List



Parameter

Model MD1

Shape features Stainless steel

Weight 3.5kg

Dimension 210*150*220mm

System / CPU Linux / Quard core 1.4 GHz

Screen 7 Inch LCD with touch screen

Print Engine original TIJ2.5 driver board

Max Definition 600PDI(Optional)

Spray nozzle Thermal foaming inkjet 2.5

Printing line 1-8 lines (adjustable)

Printing height 1.2mm-12.7mm

Printing content Text, time, batch number, serial, number, Picture, QR code, DM code, barcode, Database printing

Application carton, bucket,pipe, cable, metal, plastic bag, glass,electronics, automotive parts

Ink type Quick-dry environmental ink, water-based ink and oily ink, UV Ink

Ink color black, white, red, blue, yellow, green, invisible

Ink volume 42ml (usually can print 800,000 characters)

Power 100 to 240V AC input ,50/60Hz

Storage Space The machine can store more than 1000 mass (external USB make the information transfer in a free way)

Working condition

Temperature:0 - 45 degree; Humidity: 10% - 80%